



Customer order sheet 2: Sizing

The following system has been developed over ten years with feedback from sponsored racers and helpful customers. It is designed specifically for motorcycle clothing, so avoid going to a tailor or dressmaker, as they will make assumptions. Just follow the instructions and you will get it right.

- You will need a dressmakers tape.
- You will need someone to measure you.
- Wear light clothing (T-Shirt and jeans is fine).
- The tape should be **firm** but not tight.
- You will get the chance to specify a snug or loose fit later so don't add or subtract.
- Stand upright and *relaxed*. Vanity is not helpful.

Tick Measuring Units used. (either system is OK but do NOT use both)

Pounds and Inches		Kilograms and centimetres	
-------------------	--	---------------------------	--

Required for all styles

Height		Without shoes.
Weight		Wearing light or no clothing.
Waist 5cm above navel		These are the midriff measurements First find your navel (bellybutton) and wrap the tape around and record measurement (see Figure1). Repeat at the specified distances above and below the navel level.
Waist at navel		
Waist 5cm below navel		
Waist 10cm below navel		
Seat 15cm below navel		
Seat 20 cm below navel		

Required for Jackets and suits

Chest (Men)		Wrap the tape around the chest, over the shoulder blades as high up in the armpits as possible, then place your arms by your sides and relax. Record measurement. (Fig 3)
Bust/chest (women)		As above but over the bust line. (fig 3)
Under Bust (women)		Just under the bust line. (fig 3)
Half Back (fig2)		Position arm as shown (fig 2). Measure from the centre of the spine (about 15 cm down from the nape of the neck) to straight across to level with the pivot point of the shoulder (ie. where the arm joins the shoulder). Arm: From centre of spine as above, all the way along the arm to the wrist bone.
Arm (fig 2)		
Wrist circumference		
Bicep		With bicep flexed
Forearm		With forearm flexed
Neck		Close measurement around the base of the neck
Front Body length		From the notch in the sternum (base of neck) to level with the crotch. (see fig 3)

Required for Pants and suits

Crotch to Knee (Fig 4 A)		Measure from level with crotch to level with the centre of the knee (bend your leg slightly to make it easier to see the kneecap).
Navel to Knee (Fig 4 B)		Measure down the outside of the leg from level with the navel to level with the centre of the kneecap.
Navel to Ankle (Fig 4 C)		As above, but measure to level with the ankle bone
Thigh (Fig 4)		Measure around the fullest part of the thigh
Calf (Fig 4)		Measure around the fullest part of the calf.

Desired fit

Snug fit		Average Fit		Loose Fit	
----------	--	-------------	--	-----------	--




Figure 1

Measure level with the navel (belly button) and then above and below at 5cm (2 Inch) increments as requested in the table at left.




Figure 2




Figure 3

To locate the crotch line, place a straight stick horizontally between your legs firmly in the groin (eg. a ruler as shown). All measurements are taken to the top edge of the stick




Figure 4